





Revision Notes				
R1 - MODEL NUMBER CHANGED AS PER P1753				
APA: T. HU 09/10/2025	Drawn: D. HYSENI	Checked: I. MULAYIM	Approved: A. KING	Date: 09/10/2025



PIN #	WIRE COLOUR	DESCRIPTION
1	RED	DC 10-32V
2	BLACK/BARE COPPER	GND
3	N/C	N/C
4	YELLOW	ACC-IN



- NOTES:**
- IDENTIFICATION LABELS CONTROLLED BY MANUFACTURER BUT TEXT MUST REMAIN THE SAME
  - HEAT SHRINK TO BE FULLY SHRUNK AROUND CABLE AND CONNECTOR.
  - INTERNAL CABLES SHOULD BE ONE CONTINUOUS LENGTH BETWEEN CONNECTION POINTS.
  - FOR LABEL AND PACKAGING DETAILS REFER TO MASTER BOM.
  - ANY CUSTOMER MODIFICATION OF THIS PRODUCT CAUSING SUBSEQUENT FAILURE IS NOT A LIABILITY OF BRIGADE ELECTRONICS PLC.

**PROPRIETARY NOTICE**  
 THIS DESIGN AND TECHNICAL INFORMATION APPEARING ON THIS DRAWING IS THE PROPERTY OF BRIGADE ELECTRONICS, AND IS DISCLOSED IN CONFIDENCE. IT IS NOT TO BE COPIED, REPRODUCED, REVEALED TO OR EXPROPRIATED BY OTHERS, EITHER IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF BRIGADE ELECTRONICS.

Sheet 1 of 1	Assembly Pl Approval TIAN HU 12/08/2025	Approved by A. KING	Checked by A. FOSTER	Drawn by D. HYSENI
Customer Approval -	Angle of Projection 	Units mm	Scale N/A	Released 12/08/25
Status RELEASED		Assembly Ref VBV-1230-AI-PH		
Part No 8387		BE-005098-01-25		

**Brigade**  
 brigade-electronics.com

Third Angle