



THE UNITED KINGDOM VEHICLE APPROVAL AUTHORITY

COMMUNICATION CONCERNING THE APPROVAL GRANTED ⁽¹⁾/~~APPROVAL EXTENDED ⁽⁴⁾~~
~~APPROVAL REFUSED ⁽⁴⁾~~/~~APPROVAL WITHDRAWN ⁽⁴⁾~~/ PRODUCTION DEFINITELY
DISCONTINUED ⁽¹⁾ OF A TYPE OF ELECTRICAL/ ELECTRONIC SUB-ASSEMBLY ⁽¹⁾ WITH
REGARD TO REGULATION NO. 10.04



Approval No: 10R-045275

Extension No: Not applicable

1. Make (trade name of manufacturer): Brigade Electronics Plc
2. Type and general commercial description(s): BE-800C – Vehicle CCTV Camera
3. Means of identification of type, if marked on the vehicle/component/ separate technical unit: ⁽¹⁾:
Self-adhesive label
 - 3.1. Location of that marking: On rear of product housing
4. Category of vehicle: Not applicable
5. Name and address of manufacturer:
Brigade Electronics Plc
Brigade House, The Mills
Station Road, South Darenth
Kent
DA4 9BD
United Kingdom
6. In the case of components and separate technical units, location and method of affixing of the
ECE approval mark: Self-adhesive product label on rear of product housing



- 7. Address(es) of assembly plant(s):
7, Keunnyeondang-gil
Jori-eup
Paju-si
Gyeonggi-do
413-821
Korea
- 8. Additional information (where applicable): See Appendix
- 9. Technical Service responsible for carrying out the tests: TÜD SÜD Product Service Ltd
- 10. Date of test report: 23 April 2014 (6 January 2009 – Directive certificate)
- 11. No. of test report: Document 75905099 Report 07 Issue 2 (75905099 Report 07 Issue 1 – Directive Certificate)

12. Any remarks: See Appendix

13. Place: BRISTOL

14. Date: 09 MAY 2014

15. Signature:  A. W. STENNING
Head of Technical and Quality Support Group

16. The index to the information package lodged with the Approval Authority, which may be obtained on request, is attached.

17. Reasons for extension: Not applicable

(1) Strike out what does not apply.



Appendix

to type-approval communication form No. 10R-045275

concerning the type-approval of an electrical/electronic sub-assembly under Regulation No. 10.04

1. Additional information:
 - 1.1. Electrical system rated voltage: Vehicle Supply 12 - 24V dc
 - 1.2. This ESA can be used on any vehicle type with the following restrictions: Refer to manufacturer's installation instructions
 - 1.2.1. Installation conditions, if any: Refer to manufacturer's installation instructions
 - 1.3. This ESA can be used only on the following vehicle types: See manufacturer's instructions
 - 1.3.1. Installation conditions, if any: See manufacturer's instructions
 - 1.4. The specific test method(s) used and the frequency ranges covered to determine immunity were: (Please specify precise method used from Annex 9):
20MHz to 200MHz BCI @ 60mA
200MHz to 2GHz Free Field @ 30V/m
 - 1.5. Laboratory accredited to ISO 17025 and recognized by the Approval Authority responsible for carrying out the tests: TÜD SÜD Product Service Ltd, Warwickshire, United Kingdom
2. Remarks: None
 - (1) Strike out what does not apply.

ANNEX II B

Information document No.75905099/37 concerning the type approval of a type of electrical/electronic sub-assembly (1) with regard to Regulation No: 10 as amended by the 04 series of amendments.

0	GENERAL	
0.1	Make (Trade name of manufacturer):	Brigade Electronics Plc
0.2	Type and General Commercial Description:	BE-800C Vehicle CCTV Camera
0.3	Means of Identification of Type: If marked on the component/Separate Technical Unit ^(b) :	Self Adhesive Product label
0.3.1	Location of Identification Marking:	On Rear of Product Housing.
0.3.2	Location of EC approval mark:	On Product Label
0.5	Name and Address of Manufacturer:	Brigade Electronics Plc Brigade House, The Mills Station Road South Darenth Kent DA4 9BD
	Name and Address of Authorised Representative, if any:	Not Applicable
0.7	In the case of components and separate technical units, location and method of affixing of the EEC type approval mark:	As per 0.3 and 0.3.1
0.8	Name and Address of Assembly Plants:	7, Keunnyeondang-gil Jori-eup Paju-si Gyeonggi-do 413-821 Korea
1.	This ESA shall be approved as a component/Separate technical Unit ⁽¹⁾	
2.	Any restrictions of use and conditions for fitting:	See Installation Instructions
3.	Electrical system rated voltage:	12/24V DC negative ground

^(b) If the means of identification of type contain characters not relevant to describe the component or Separate Technical Unit types covered by this document, such characters shall be represented in the documentation by the symbol '?' (e.g. ABC??123??)

⁽¹⁾ Delete where not applicable

Appendix 1

Description of the ESA chosen to represent the type (Electronic block diagram and lists of main components constituting the ESA [e.g. make and type of microprocessor, crystal etc.])

Appendix 2

Relevant test report supplied from approved test laboratory

