

VIEW A

VIEW B

VIEW C

PIN	WIRE COLOUR	DESCRIPTION
1	RED	+12V DC
2	WHITE	SIGNAL
3	BLACK	GND
4	NOT CONNECTED	N/A


PIN	WIRE COLOUR	DESCRIPTION
1	RED	+5V
2	WHITE	D-
3	GREEN	D+
4	BLACK	GND
	SHIELD	SHIELD

PIN	WIRE COLOUR	DESCRIPTION
1	RED	+1224V DC
2	GREEN	RS485-A (RX- TX)
3	BLACK	GND
4	YELLOW	RS485-B (RX+, TX+)

- NOTES:
- THE FOLLOWING SOFTWARE IS TO BE PRE-LOADED DURING MANUFACTURE: SW-P1318-STM32F401-00.BIN.
  - FOR LABELING AND PACKAGING DETAIL PLEASE REFER TO THE MASTER BOM.

PROPRIETARY NOTICE

THIS DESIGN AND TECHNICAL INFORMATION APPEARING ON THIS DRAWING IS THE PROPERTY OF BRIGADE ELECTRONICS, AND IS DISCLOSED IN CONFIDENCE. IT IS NOT TO BE COPIED, REPRODUCED, REVEALED TO OR EXPLOITED BY OTHERS, EITHER IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF BRIGADE ELECTRONICS.



Assembly PI Approval A BUCKNELL	Approved by SLAVER	Checked by REPENTLEY	Drawn by S GOVENDER
Angle of Projection	Units mm	Scale N/A	Released 01/10/20
Status RELEASED	Part No 6127	SSP-1000-A1-ECU	
BE-004385-00-20			